




LSST Data Management Overview

DM Project Manager

LSST Rio
25th September 2018



William O'Mullane • Rio Brazil • September 2018



Introduction

LSST status

Data Management Overview

Data Management Recent Achievements

Conclusion

Milky way analogue






Can we unravel the formation, composition, and evolution of the Galaxy?

Our view is severely obstructed by the dust in the disk and relatively little is known about the origin, history, and structure of our own Galaxy



Origin of the Milky Way





The modern cosmological models can explain all observations, but need to *postulate* dark matter and dark energy (though gravity model could be wrong, too)




Killer asteroids: the impact probability is not 0!



LSST is the only survey capable of delivering completeness specified in the 2005 USA Congressional NEO



Shoemaker-Levy 9
(1994)



Tunguska
(1908)



The Barringer Crater, Arizona: a 40m object
50,000 yr. ago



Introduction

LSST status

Data Management Overview

Data Management Recent Achievements

Conclusion



LSST: uniform sky survey




An optical/near-IR survey of half the sky in ugrizy bands to r 27.5 (36 nJy) based on 825 visits over a 10-year period: *deep wide fast*.

- 90% of time spent on uniform survey: every 3-4 nights, the whole observable sky scanned twice per night
- 100 PB of data: about a billion 16 Mpix images, enabling measurements **for 40 billion objects!**

see also <http://www.lsst.org> and Ivezić et al. (2008)-arXiv:0805.2366

Call for white papers - <https://www.lsst.org/call-whitepaper-2018>




10-year simulation of LSST survey: number of visits in u, g, r band

(Aitoff projection of eq. coordinates)



LSST Camera






The largest astronomical camera:

- 2800 kg
- 3.2 Gpix




Science rafts



Modular design: 3200 Megapix = 189 x16 Megapix CCD
9 CCDs share electronics: raft (=camera 144 Megapix)

First of 21 rafts →

About to accept final raft.





Site shaping up (July 2018)



<http://ls.st/8p0>



Marine tracking and logistics (1st Sept 2018)



- 9 Pallets of M1M3 lift fixture hardware is MIA!
Found in Phoenix warehouse Chapter 7 Trustee
Custody

- Valparaiso Express 5 containers held up in Peru, transshipment required to MN Callao Express (already had 10 Containers)
- BBC Arizona Late to Antwerp for Coating vessel & 7 crates
- K&N warehouse Ready in Chile for 15 containers
- Los Angeles Warehouse ready for M2
- 6 EIE Containers in Italy scheduled for Packing in Sept.




Coating Chamber now en Route





LSST Project Schedule





Outline



Introduction

LSST status

Data Management Overview

Data Management Recent Achievements

Conclusion



LSST Org Chart: Where DM Fits




LSST Project is large and dispersed.

↑ Data Management is just one of five subsystems.



Mission Statement



DM's mission:
Stand up operable, maintainable, quality services to deliver high-quality LSST data products for science, all on time and within reasonable cost.

Development is distributed across the Americas.

Plus we have partners like IN2P3.

See Management Plan LDM-294.




Data Management Team



DM with System Engineering Joint All Hands Meeting IPAC 2018



Organization



Leanne Guy replaces Mario Jurić (who stays with the project) as Subsystem Scientist.

Michelle Butler replaces Don Petravick as Infrastructure Product Owner.



New Release Manager Gabriele Comoretto.

Deputies John Swinbank (PM), Colin Slater (PS), Yusra AISayyad (Pipelines) and Vaikunth Thukral (DAX).

Toughest thing in any project is communication.



Build and Deploy with a view to Ops



DM must build everything to get LSST data products—as described in LSE-163—to end users.

- Large data sets (20 TB/night)
 - Complex analysis with small systematics
 - Science alerts issued within one minute
- $\sim 3/4$ million lines of code/comments (C++/Python/Java/JavaScript/Kotlin)
See SPIE paper by Jenness et al. (2018)
Architecture and Components LDM-148.
Concept of Operations LDM-230.

Upper diagram courtesy K-T Lim, LDM-148.

Lower diagram by Tim Jenness; covers only the Science Pipelines codebase.



- Construction includes US and Chilean(LDM-572) Data Access Centers
 - Data rights and access details being worked on LPM-261
 - US 2400 cores, 3PB DB, 4PB disk , Chile 10% of that
- LSSTC (Corporation) considering International DACs
 - International agencies interested in establishing international DACs (intDACs) - potential added value to LSST science that
 - May prefer national investments in local facilities using funding programs targeting infrastructure investments
 - Such national investments are not part of the scope of the LSST project and operations planning
 - Data access fees are a critical component of provisioning and funding LSST operations
 - Goal: need to structure an approach to intDACs in a way that is practical, seamless and beneficial to the full LSST science community while not undermining the operations funding
 - LSSTC (D. MacFarlane) have setup a working group to consider criteria for intDAC



Simulated image based on three filters
From just one of 189 CCDs

Processed through the
LSST Science Pipelines

<https://pipelines.lsst.io/>

The Pipelines are already in use with other facilities, e.g. Hyper Suprime-Cam.

Still working on performance, algorithmic enhancements, orchestration, etc.

Design LDM-151; Test Specs LDM-533;
LDM-534; Test Reports DMTR-52; DMTR-53



Fast start with pipelines



Find release you want at <https://hub.docker.com/r/lsstsqre/centos/tags/>

```
>docker run -ti lsstsqre/centos:7-stack-lsst_distrib-v16_0
```

You may see .. Unable to find image 'lsstsqre/centos:7-stack-lsst_distrib-v16_0' locally

Setup up the environment ..

```
>source
```

```
/opt/lsst/software/stack/loadLSST.bash
```

Public repository: [lsstsqre/centos](#) ☆
Last pushed: 4 days ago

Tag Name	Compressed Size	Last Updated
7-stack-lsst_distrib-d_2018_09_11-20180911T062915Z	2 GB	4 days ago
7-stack-lsst_distrib-d_2018_09_11	2 GB	4 days ago
7-stack-lsst_distrib-d_2018_09_10-20180910T010913Z	2 GB	5 days ago
7-stack-lsst_distrib-d_2018_09_10	2 GB	5 days ago



Alerts: identify time varying object





Figure from Eric Bellm



- LSST Mini Broker - Users can create filters that return
 - a subset of LSST alerts based only on data in the alert packet
 - can use lightcurve, variability parameters, colors, etc.,
 - no crossmatch to external catalogs
 - Runs in the LSST Data Access Center(-> users must have data rights)
- Community Alert Brokers - further enabling science on alerts e.g.:
 - Provide public access to alerts
 - Classification and Crossmatch to other catalogs or data streams
 - Provide filtering, visualization, and search
 - Coordinate scientific activity and/or followup observations
 - Aggregate alert annotations (community classifications, etc.)
- **Mini Broker capacity/Number of community brokers limited by bandwidth**
 - see LDM-612
 - Working out selection process for 2019




DM Document Tree



June 24, 2018




See `lsst.io`, `pipelines.lsst.io`, `nb.lsst.io`





Test Driven Schedule LDM-503



DM adopted a test driven schedule to address verification and progress.

In line with the approach taken by project-level Systems Engineering — adapting our test specs to Jira test manager system.

LDM-503 (test plan) and LDM-564 (releases) now automatically generated from P6



High level features of all releases are listed in LDM-564. These coincide with the test milestones.

Example **LDM-503-7**: Camera Data Processing

- Camera package supporting the LSST Camera. (DM-DRP-5)
- LSSTCam data display and visualization. (DM-SUIT-6)
- Mapping between SUIT systems & NCSA auth system. (DM-SUIT-7)
- SUIT portal integrated with workspace. (DM-SUIT-8)
- Basic instrument signature removal (ISR) capability. (DM-AP-7)
- Camera package supporting the Commissioning Camera. (DM-DRP-38)
- Calibration product generation in support of basic ISR. (DM-DRP-4)

The test specs provide further refinement on the delivered product. The bracketed tag is a level 3 milestone in P6.



Verification: Have we built everything we are supposed to build?

- In line with the Project's System Engineering approach
- Demonstrate that we cover all requirements on DM
- LDM-503 shows the DM verification matrix

Validation: Have we built the right thing and does it work as expected?

- Must tackle *both* Scientific *and* Operational Validation
- Talking with with Commissioning Team: some *rehearsals* will be joint
- **There is no difference between DM Science Validation and Commissioning Science Validation — DM will work closely with Commissioning Team.**

LDM-503 addresses DM's plans for verification & validation.



- 2018: Prototypes for various processes and databases - "Minimum Viable System"
 - Aug: Mountain base network up
 - Oct: "Generation 3" pipeline execution middleware
 - Nov: Ready for spectrograph data acquisition
 - Dec: Prototype QA/Commissioning Environment
- Dec 2019: ComCam L1, L2 Production
- Dec 2019: Base Center Integration Complete
- Jun 2020: Camera L1, L2 Production
- Jul 2021: US Data Access Center Integrated

*LDM-564 describes functionality provided by each milestone.
Test specs to confirm milestone completion under development.*

LDM-532; LDM-533; LDM-534; LDM-535; LDM-536
LDM-537; LDM-538; LDM-539; LDM-540; LDM-541



November 2019: DM for Commissioning (minimum required for start of commissioning with ComCam): **(See LSE-79 §3.3 and table 8)**

- Pipeline: single-frame measurement including ISR, ghost masking, cosmic ray detection, PSF estimation, astrometric and photometric calibration, background estimation, single-frame deblending, master calibration image generation, atmospheric characterization
- Services: archiving, EFD transformation, Data Backbone for files (Base/NCSA), telemetry gateway, OCS-controlled batch, offline processing
- LSST Science Platform on Commissioning Cluster: Notebook Aspect, image access, user file storage, batch computing

Milestones:

- LDM-503-09 – 2018-11-30: Demonstrate and rehearse commissioning capabilities
- LDM-503-11a – 2019-10-21: Verify that we are ready for commissioning ComCam



Early commissioning is coming soon!!!

- Auxiliary Telescope is in Chile already — the spectrograph will arrive after summer.
- We plan to be taking and processing data early 2019!
 - Official operations late 2019 — milestone LDM-503-08 in preparation for that.
- We will have a pipeline for processing AuxTel data on the commissioning cluster.
- Initially *selected* data will be transferred to NCSA and made available in the Science Platform.
- By summer 2019 we will have an automated processing system for AuxTel data.



Introduction

LSST status

Data Management Overview

Data Management Recent Achievements

Conclusion



LDM-503-2: HSC (Hyper Suprime Cam) reprocessing milestone

- First (equal) post-replan, NSF-visible milestone hit by the DM project.
- Joint effort to reprocess (Data Facility team) and analyze (DRP team) HSC data under operations-like conditions
- Milestone successful: DMTR-51!



LDM-503-2: HSC (Hyper Suprime Cam) reprocessing milestone

- First (equal) post-replan, NSF-visible milestone hit by the DM project.
- Joint effort to reprocess (Data Facility team) and analyze (DRP team) HSC data under operations-like conditions
- Milestone successful: DMTR-51!

“Warp Compare” coadds

- New algorithm to robustly reject artifacts when coadding images.
- Now default for HSC processing; stack-wide default to be RFCed soon.



Figure: AlSayyad.



- **LDM-503-3: Alert generation milestone**
 - First(equal) post-replan milestone hit by the DM project DMTR-53!
 - Demonstrating a *end-to-end* alert production pipeline.
- Prototype alert distribution system using Kafka & AVRO; benchmark results on DMTN-028.
- New MOPS (Moving Object) linking algorithm under development and approach to Minor Planet Center DMTN-087.
- Jointcal replaces meas_mosaic
 - Simultaneous astro- and photometric fitting to source lists derived from multiple images.
 - The all new, much improved, more generic replacement for the HSC-specific meas_mosaic.




Figure: Parejko.

Figure shows the variation in photometric calibration not captured by single frame processing, normalized to 1. This demonstrates fine structure in photometry which Jointcal picks up but per-CCD processing doesn't catch.





Base & Network: Fiber First Light



Successful transfer of digital data over LSST/AURA fiber optic networks from the Summit Site on Cerro Pachon to NCSA. A set of 6 x 10 Gbps Network Interface cards on Data Transfer Nodes (DTN) configured with iPerf3 generated a sustained data rate of approximately 44 gigabits per second, over a period of 24 hours, exceeding the target of 40 gigabits per second.

(Document-28547)





- Catalog Database (Qserv) to 100 TB range
 - Three 30-node clusters operating:
 - NCSA (PDAC): science dataset (Stripe 82 + ALLWISE + NEOWISE)
 - CC-IN2P3 (2 x dev): synthetic dataset
 - 30% DR1 KPM measurements DMTR-17
 - Deployment under Kubernetes
- Gen 3 Data Butler and Supertask in progress




IN2P3 Qserv Cluster - Fritz Muller



– Observatory Operations Support (Level 1) Services

- Working within the LSST Systems Engineering Early Pathfinder group, developing and testing integration of T&S, Camera, and DM service software via a series of early integration activities.
- Initial header service developed and configured for Camera subsystem and AuxTel use cases, ability to acquire pixel data and write FITS files, all commandable by OCS. Demonstrated on Level 1 Test Stand (DMTR-61) and with Spectrograph in Tucson



EIA-341 reading image from the spectrograph in Tucson July 2018



Vision: LSE-319 — Design: LDM-542 — Test: DMTR-51 at NCSA

The screenshot shows a Jupyter Notebook environment with two open notebooks. The left notebook, 'psf_size.ipynb', contains Python code for calculating PSF sizes and a histogram plot. The right notebook, 'psf_shape.ipynb', contains code for calculating PSF shapes and a scatter plot. The bottom of the interface shows a terminal window with a list of coordinates.

```

In [17]: sizes = numpy.asarray(sizes)
hist = plt.hist(sizes*pixel_to_arcsec, bins=100)
plt.xlabel("PSF size in arcseconds")

Out[17]: <matplotlib.text.Text at 0x7ff770b04a8>


In [18]: a_vals = numpy.asarray([el[0] for el in shapes])
b_vals = numpy.asarray([el[1] for el in shapes])
t_vals = numpy.asarray([el[2] for el in shapes])
sizes = numpy.asarray(sizes)
e_vals = a_vals/b_vals
sizes = numpy.min(sizes)
u = numpy.cos(t_vals)*sizes
v = numpy.sin(t_vals)*sizes
ax = plt.quiver(xs+u, ys+u, v, e_vals, headwidth=0, headlength=0, headaxislength=
cb = plt.colorbar(ax)
cb.set_label('Semi-major axis/Semi-minor axis')
plt.xlabel('x pixel position')
plt.ylabel('y pixel position')

Out[14]: <matplotlib.text.Text at 0x7ff7742334be0>
  
```

```

> 3021 2.8331861699802783e+02 1.76990840939857352e+02 2.83221881023406655e+02 1.7684463767916534e+02 -8.983594e-02 -5.629292e-02 1.887149e-01
> 3022 2.90318616995637635e+02 1.7699040663998057e+02 2.9021804957403918e+02 1.7684391481043113e+02 -9.256730e-02 -5.649182e-02 1.884437e-01
> 3023 2.9731861694292492e+02 1.7689997268124364e+02 2.9721574948346555e+02 1.7684320377235684e+02 -9.486746e-02 -5.676891e-02 1.185556e-01
> 3024 3.0431861692947350e+02 1.7689953872257871e+02 3.0421258105769260e+02 1.7684208821011345e+02 -9.893587e-02 -5.745651e-02 1.136292e-01
[stmonkrughoff@ld-lab-stmonkrughoff-w201813 ~]$
  
```

Portal/Browser
Notebooks
Web API
(Batch)





Outline



Introduction

LSST status

Data Management Overview

Data Management Recent Achievements

Conclusion



Conclusion




- LSST is getting very real !
- A lot of work on verification for DM
- AuxTel coming very rapidly.
- Looking forward to first data next year.



~ 3.5' SDSS image

<http://www.lsst.org> <http://community.lsst.org>

Questions?



HSC image (COSMOS)

g,r(1.5 hrs) ,i(3 hrs) PSF matched co-add (≈ 27.5)

Images:Lupton and HSC collaboration see also Lupton et al. (2004)



Outline



Backup Slides

Reference material



Outline



Backup Slides

Reference material



Acronyms I



Acronym	Description
AI	Action Item
AP	Alerts Production
API	Application Programming Interface
AURA	Association of Universities for Research in Astronomy
AVRO	Apache data serialization system
BBC	German shipping company
C	Specific programming language (also called ANSI-C)
CCD	Charge-Coupled Device
D	Deutschland (Germany)
D	Specific project phase (production; concluded by QR and FAR)
DAX	Data Access Services
DB	DataBase
DM	Data Management
DMTN	DM Technical Note
DMTR	Data Management Test Report
DRP	Data Release Production
DTN	Data Transfer Node
EFD	Engineering Facilities Database
EIA	Early Integration Activity
EIE	European Industrial Engineering - Italian engineering company (Dome)
FITS	Flexible Image Transport System



Acronyms II



HSC	Hyper Suprime-Cam
IPAC	Infrared Processing and Analysis Center
IR	Infra Red
ISR	Instrument Signal Removal
K	Kelvin; SI unit of temperature
KPM	Key Performance Metric
L1	Level 1 (ambiguous could mean milestone or processing)
L2	Level 2 (ambiguous could mean milestone or processing)
LDM	LSST Data Management (handle for controlled documents)
LPM	LSST Project Management (Document Handle)
LSE	LSST Systems Engineering (Document Handle)
LSST	Large Synoptic Survey Telescope
M2	Second mirror
MIA	Missing In Action
MN	Meeting Minutes
MOPS	Moving Object Pipeline System
N	Newton; SI unit of force
NASA	National Aeronautics and Space Administration (USA)
NCSA	National Center for Supercomputing Applications
NEO	Near-Earth Object
NSF	National Science Foundation
OCS	Observatory Control System
PB	PetaByte
PDAC	Prototype Data Access Center



Acronyms III



PM	Project Manager
PS	Project Scientist
PSF	Point Spread Function
QA	Quality Assurance
Qserv	Query Service, Proprietary LSST Database system
S	Strip (CCD chip along-scan coordinate identifier in focal plane)
SDSS	Sloan Digital Sky Survey
SPIE	the international society for optics and photonics
SUIT	Science User Interface and Tools
T&S	Telescope and Site
TB	TeraByte
US	United States
USA	United States of America
arcmin	arcminute, minute of arc (unit of angle)
kg	kilogram; SI unit of mass
s	second; SI unit of time



References I



- [LDM-612]**, Bellm, E., co authors, 2018, *Plans and Policies for LSST Alert Distribution*, LDM-612, URL <https://ls.st/LDM-612>
- [DMTR-53]**, Bellm, E., Swinbank, J., 2018, *LDM-503-03 (Alert Generation) Test Report*, DMTR-53, URL <https://ls.st/DMTR-53>
- [LDM-533]**, Bellm, E.C., 2017, *Level 1 System Software Test Specification*, LDM-533, URL <https://ls.st/LDM-533>
- [DMTR-51]**, Bosch, J., Chiang, H.F., Gower, M., et al., 2017, *LDM-503-02 (HSC Reprocessing) Test Report*, DMTR-51, URL <https://ls.st/DMTR-51>
- [DMTR-61]**, Butler, M., Parsons, J., 2018, *LDM-503-04 and LDM-503-04b (Raw Image Archiving Service) Test Report*, DMTR-61, URL <https://ls.st/DMTR-61>
- [LDM-538]**, Butler, M., Parsons, J., Gower, M., 2018, *Raw Image Archiving Service Test Specification*, LDM-538, URL <https://ls.st/LDM-538>
- [LSE-79]**, Claver, C., The LSST Commissioning Planning Team, 2017, *System AI&T and Commissioning Plan*, LSE-79, URL <https://ls.st/LSE-79>
- [LDM-540]**, Dubois-Felsmann, G., 2018, *LSST Science Platform Test Specification*, LDM-540, URL <https://ls.st/LDM-540>
- [LDM-542]**, Dubois-Felsmann, G., Lim, K.T., Wu, X., et al., 2017, *LSST Science Platform Design*, LDM-542, URL <https://ls.st/LDM-542>
- [DMTR-52]**, Dubois-Felsmann, G.P., 2018, *LDM-503-01 (WISE Data Loaded in PDAC) Test Report*, DMTR-52, URL <https://ls.st/DMTR-52>
- Ivezic, Z., et al., 2008, ArXiv e-prints (arXiv:0805.2366), ADS Link
- Jenness, T., Economou, F., Findeisen, K., et al., 2018, In: *Software and Cyberinfrastructure for Astronomy V*, vol. 10707 of Proc. SPIE, 1070709, doi:10.1117/12.2312157, ADS Link
- [DMTN-087]**, Juric, M., Jones, L., 2018, *Proposed Modifications to Solar System Processing and Data Products*, DMTN-087, URL <https://dmtn-087.lsst.io>, LSST Data Management Technical Note
- [LSE-319]**, Jurić, M., Ciardi, D., Dubois-Felsmann, G., 2017, *LSST Science Platform Vision Document*, LSE-319, URL <https://ls.st/LSE-319>
- [LSE-163]**, Jurić, M., et al., 2017, *LSST Data Products Definition Document*, LSE-163, URL <https://ls.st/LSE-163>
- [Document-28547]**, Kantor, J., 2018, *LSST Network Bandwidth Tests between Chile and the United States*, Document-28547, URL <https://ls.st/Document-28547>
- [LDM-148]**, Lim, K.T., Bosch, J., Dubois-Felsmann, G., et al., 2018, *Data Management System Design*, LDM-148, URL <https://ls.st/LDM-148>



References II



- Lupton, R., Blanton, M.R., Fekete, G., et al., 2004, *PASP*, 116, 133 (arXiv:astro-ph/0312483), doi:10.1086/382245, ADS Link
- [LDM-572]**, O'Mullane, W., Petravick, D., 2017, *Chilean Data Access Center*, LDM-572, URL <https://ls.st/LDM-572>
- [LDM-564]**, O'Mullane, W., Economou, F., Jenness, T., Loftus, A., 2018, *Data Management Software Releases for Verification/Integration*, LDM-564, URL <https://ls.st/LDM-564>
- [LDM-294]**, O'Mullane, W., Swinbank, J., Jurić, M., DMLT, 2018, *Data Management Organization and Management*, LDM-294, URL <https://ls.st/LDM-294>
- [LDM-503]**, O'Mullane, W., Swinbank, J., Jurić, M., Economou, F., 2018, *Data Management Test Plan*, LDM-503, URL <https://ls.st/LDM-503>
- [DMTN-028]**, Patterson, M.T., 2018, *Benchmarking a distribution system for LSST alerts*, DMTN-028, URL <https://dmtn-028.lsst.io>, LSST Data Management Technical Note
- [LDM-230]**, Petravick, D., Butler, M., Gelman, M., 2018, *Concept of Operations for the LSST Data Facility Services*, LDM-230, URL <https://ls.st/LDM-230>
- [LDM-534]**, Swinbank, J.D., 2017, *Level 2 System Software Test Specification*, LDM-534, URL <https://ls.st/LDM-534>
- [LDM-151]**, Swinbank, J.D., et al., 2017, *Data Management Science Pipelines Design*, LDM-151, URL <https://ls.st/LDM-151>
- [DMTR-17]**, Thukral, V., 2018, *Qserv Fall 17 Large Scale Tests/KPMs*, DMTR-17, URL <https://ls.st/DMTR-17>
- [LDM-532]**, Unknown, 2017, *NCSA Enclave Test Specification*, LDM-532, URL <https://ls.st/LDM-532>
- [LDM-535]**, Unknown, 2017, *Data Backbone Test Specification*, LDM-535, URL <https://ls.st/LDM-535>
- [LDM-536]**, Unknown, 2017, *Data Backbone Data Services Test Specification*, LDM-536, URL <https://ls.st/LDM-536>
- [LDM-537]**, Unknown, 2017, *Data Backbone Infrastructure Test Specification*, LDM-537, URL <https://ls.st/LDM-537>
- [LDM-539]**, Unknown, 2017, *Data Access Center Enclave Test Specification*, LDM-539, URL <https://ls.st/LDM-539>
- [LDM-541]**, Unknown, 2017, *Commissioning Cluster Enclave Test Specification*, LDM-541, URL <https://ls.st/LDM-541>
- [LPM-261]**, Willman, B., Graham, M., O'Mullane, W., Petravick, D., 2018, *Access Policy for LSST Data and Data Access Center*, LPM-261, URL <https://ls.st/LPM-261>